

In the claims:

Please substitute the following full listing of claims for the claims as originally filed or most recently amended.

1        1. (Currently amended) An EMI-suppressing cable, comprising:  
2                a signal wire;  
3                a shielding layer, formed on an outer surface of the signal wire; and  
4                a magnetic material layer, formed on an outer surface of the shielding  
5 layer, and having a ferrite resin layer and a film,  
6                wherein the ferrite resin layer is formed on one face of the film so as  
7 to form a two-layer structure; **and**  
8                wherein the magnetic material layer is wound on the shielding layer,  
9        and  
10                wherein the ferrite resin layer is formed on one face of the film by  
11 printing.

1        2. (Original) The EMI-suppressing cable as set forth in claim 1, wherein the  
2 magnetic material layer is spirally wound around an axis of the signal wire.

1        3. (Original) The EMI-suppressing cable as set forth in claim 1, wherein the  
2 magnetic material layer is wrapped along an axis of the signal wire.

1        4. (Original) The EMI-suppressing cable as set forth in claim 1, wherein the  
2 film is comprised of metal.

Claim 5 (cancelled)

1        6. (Original) The EMI-suppressing cable as set forth in claim 2, wherein the  
2 magnetic material layer has a tape shape.

1        7. (Original) The EMI-suppressing cable as set forth in claim 3, wherein the  
2 magnetic material layer has a single sheet shape.

1        8. (New) An EMI-suppressing cable, comprising:  
2                a signal wire; and  
3                a magnetic material layer having a ferrite resin layer and a film,

4            wherein the ferrite resin layer is formed on one face of the film so  
5            as to form a two-layer structure, and  
6            wherein the magnetic material layer is wound directly on the signal  
7            wire.

1           9. (New) The EMI-suppressing cable as set forth in claim 8, wherein the  
2           magnetic material layer is spirally wound around an axis of the signal wire.

1           10. (New) The EMI-suppressing cable as set forth in claim 8, wherein the  
2           magnetic material layer is wrapped along an axis of the signal wire.

1           11. (New) The EMI-suppressing cable as set forth in claim 8, wherein the  
2           film is comprised of metal.

1           12. (New) The EMI-suppressing cable as set forth in claim 9, wherein the  
2           magnetic material layer has a tape shape.

1           13. (New) The EMI-suppressing cable as set forth in claim 10, wherein  
2           the magnetic material layer has a single sheet shape.

In the Drawings:

Please approve the proposed drawing revisions as shown in the concurrently filed Request for Approval of Drawing Revisions.

Figure 2 has been revised to accurately show the material of film 14a via cross-hatching.

Figure 4 has been revised to include the legend "Prior Art."